


# SUNTEC®



## Cooking equipment catalog



100V

110/220V



Download this catalog  
PDF from this QR code.



Our website can be  
accessed from this  
QR code.



Contributing to the creation of a menu you can count on.

## SUNTEC CO., LTD.





# Easy baking of various menus.

SUNTEC offers a wide range of cooking equipment based on the theme of “baking” from various sweets such as waffles, croissant dough, baked donut to snack menus and event snacks, centering on the popular classic menu Belgian waffle.

## Pursuing convenience and diversity with Multi baker.

In the cooking of the menu to be baked, the menu is determined by the shape of the plate, but the Multi baker series succeeded in making the plate replaceable. By exchanging optional plates with one unit, you can easily bake a surprising variety of menus.

### Difference between the Multi baker series and conventional products.

| Multi baker series  | Other than multi-baker (conventional product)  |
|---|--|
| Plate exchange (one-touch exchange)   | Plate exchange (exchange by our company)   |
| <ul style="list-style-type: none"> <li>• A wide variety of menus can be provided.</li> <li>• Flexible support depending on the situation (multiple menus can be baked with one unit)</li> <li>• Plates can be washed in water (easy cleaning)</li> <li>• When recoating Teflon on a plate, only the plate can be sent without sending the whole machine.</li> <li>• The cleaning time is shortened because the plate can be removed.</li> <li>• Depending on the situation, it is possible to provide a small amount and various menus. (Food loss measures)<br/>Ex) In case of Multi Baker PRO.<br/>Menu example of supermarket side dish corner.<br/>Taiyaki / Oobanyaki / Okonomiyaki / Cheese dog, etc.</li> <li>• Menu can be changed every season.</li> <li>• Menu can be changed daily.</li> <li>• Menu can be changed according to time of the day.<br/>Ex) In case of Multi Baker MAX.<br/>A breakfast special = pancake,<br/>Lunchtime = hot sandwich or panini,<br/>Snack = Waffle etc.</li> </ul> | <ul style="list-style-type: none"> <li>• Suitable for single menu (dedicated machine)</li> <li>• As it is a dedicated machine, it is cheaper than the multi-baker series</li> <li>• Plates cannot be washed in water.</li> <li>• The plate must be sent together with the machine when recoating Teflon. (Plate replacement fee will be charged separately)</li> </ul> |

## Multi baker series

3 ~ 12



- Multi baker MAX
- Multi baker E-MAX
- Multi baker PRO
- Multi baker Petit



## Waffle baker series

13 ~ 16



- Belgian waffle baker
- Waffle baker
- Waffle heart
- Waffle bar
- Croissant waffle bake
- Petit waffle baker
- Cookie baker
- Waffle dispenser

## Croissant dough / Baked donut

17 ~ 18



- Croissant bar
- Mini bar ( Mini croissant bar )
- Baked donut
- Heart donut
- Vanilla heart
- Croissant donut
- Ice sandwich maker
- Petit baked donut
- Baked french cruller
- Mini heart

## Other equipment

19 ~ 22



- Café ball
- Ice cone
- Crepe press
- Hot sandwich maker
- Panini cooker
- Press grill maker
- Pizza presser
- Conveyor toaster
- Fermenter
- Cotton candy
- Cheese dog
- Crepe machine
- Pancake baker
- Big hot sandwich
- Press sandwich maker
- Convection oven
- Mini sponge cake
- Popcorn
- About the original logo plate (custom order)



Plates are replaceable to enhance flexibility based on the season, time of day, and location.

# Multi Baker MAX

**Replaceable plates will freely enable the development of top-selling menu items.**

With a single electric baker using replaceable plates, baking is made easy for everyone - from authentic Belgian waffles to baked donuts that are in great demand at the moment as well as popular menu items such as croissant donuts and croissant bars. As it can add more variety to menus in small quantities, it will greatly contribute to increasing sales according to the season, the time of the day and location of the shop/restaurant. Multi Baker MAX comes in single (MAX-1) and double (MAX-2) types which can be selected according to your sales volume and installation space. Each product comes with a plate set which can be selected from 30 different types. Additional plates are sold separately.

## Multi function of Multi Baker MAX.

- One-touch plate replacement.** An innovative replaceable plate can be installed and removed with just a one-touch operation.
- The entire plate is washable.** Removed plate can be washed in water to make cleaning easier.
- Multiple menu items with just one device.** By adding the optional plates, it becomes possible to roll out various menu items with just a single baker.
- Large variety in small quantity.** Best for producing a variety of items in small quantities in order to meet needs according to the season, time of day and location of the shop.
- Easy and speedy.** All you have to do is put the dough on the plate and press. Instant baking with top and bottom heating plates.
- Compact electric baker.** Compact and lightweight, that can be placed anywhere.

## Simple baking is made possible with just filling the dough inside the plate and closing the lid.



Put dough on the plate.



Close the lid, set the time and start baking.



Simple as that.

## Easy plate replacement will readily allow multiple menu items.

Electric baker with replaceable plates that comes in 2 types, single and double. Using these bakers, anyone can easily make popular menu items, from authentic Belgian waffles, popular baked donuts and croissant donuts (Chelky ring), croissant bars (Chelky bars) and café balls, croissant waffles, and pancakes. Choose according to the number of bakeable pastries at a time and installation space.


## Removal and mounting of plates is easy.



Use the latch opener to unlock.



Plates are easily removable.



Simple to mount other plates.

## There are also plates to which an oil drip vat can be attached.

Plates with different thickness can be placed/replaced with the lid whose height is adjustable. An innovative system which works to bake pastries in different thickness.



Optional items. There are also plates to which an oil drip vat can be attached.



■ MAX-1 Special order.  
Power : 100V  
Electricity Consumption : 750W  
Measurements : 270(W)×455(D)×195(H)mm  
List Price : ¥238,000



■ MAX-2 Special order.  
Power : 100V  
Electricity Consumption : 1500W  
Measurements : 540(W)×455(D)×195(H)mm  
List Price : ¥398,000

Newly developed digital control panel.(MAX-1)



Newly developed digital control panel.(MAX-2)



4 output settings depending on the menu item.


can be converted to single-phase 200V by special order can be converted to single-phase 200V or 3-phase 200V by special order.




# Common to both Multi Baker MAX & E-MAX

## 34 types of plates

For example, in this way, the menu item provided can be changed depending on the time of day and usage.



•One of the plates will be included in the set.



There are 34 types of basic baking menu items. The menu items that your shop will be able to offer will expand infinitely depending on your ingenuity.





Plates are replaceable to enhance flexibility based on the season, time of day, and location.


# Multi Baker E-MAX

## Popular replaceable plate types for multiple menu items.

- Compared to the Multi Baker MAX, which allows for 34 menu items to be baked using a single electric baker with replaceable plates, the Multi Baker E-MAX is the same replaceable plate type, but with a limited number of menu items and a simplified analog control system, it is reasonably priced. The main body comes in 4 models.
- Type A and Type B are available depending on the types of multiple replaceable plates used, and each comes in a single type (E-MAX-1A/E-MAX-1B) and a double type (E-MAX-2A/E-MAX-2B). Each model comes with one set of one type of plate. Additional plates are optional.

See the previous page for a list of all types of plates.

Please refer to the function/compatibility table on page 10 for compatibility between each plate and the main body.



### Removal and mounting of plates is easy.

Be sure to use a plate that is compatible with the model of main body used.



Use the latch opener to unlock.



Plates are easily removable.




Simple to mount other plates.

### Difference between E-MAX and MAX

- Limited number of plates (= menu items)**  
[Type A] can be used with 8 types of plates, and [Type B] with 22 types. This is because the thickness of the plate used varies depending on the menu item, but the performance remains the same.
- Analog control for simple operation.**  
Baking uses a simple ON-OFF analog system (MAX has digital control + preset mechanism). There is no difference in baking.
- Affordable low price**  
Based on MAX, a low price is achieved by adopting a simple adjuster design that accommodates plates of different thicknesses and analog control. The hurdle for introduction has been lowered.

With the newly developed simple adjuster structure, the height of the top lid can be easily adjusted, and plates of different thicknesses can be attached.



## Multi Baker E-MAX <Type A>

Two models of electric bakers with replaceable plates, single and double, are available. Both models make it possible for anyone to easily bake popular menu items, such as baked donuts, croissant donuts (Chelky rings), cafe balls, mini hearts, and egg waffles. Select according to the number of baked menu items and installation space.



■ E-MAX-1A  
Power : 100V  
Electricity Consumption : 750W  
(Top300W Bottom 450W)  
Measurements : 270(W)×455(D)×195(H)mm  
List Price : ¥195,000

•Optional items.



Oil drip vat

■ E-MAX-2A  
Power : 100V  
Electricity Consumption : 1500W  
(Top300W Bottom 450W) X2  
Measurements : 540(W)×455(D)×195(H)mm  
List Price : ¥345,000

One of the plates will be included in the set. Additional plates are sold separately.

| ②<br>Croissant donut<br>(Chelky ring)             | ③<br>Baked donut                                  | ④<br>Baked heart donut                     | ⑤<br>Baked french cruller                         |
|---|---|--|---|
|   |   |  |   |
|   |   |  |   |
| Baking size :<br>84(diameter)X<br>28(thickness)mm | Baking size :<br>84(diameter)X<br>30(thickness)mm | Baking size :<br>88X88X<br>30(thickness)mm | Baking size :<br>84(diameter)X<br>30(thickness)mm |
| ⑥<br>Petit baked donut                            | ⑪<br>Café ball                                    | ⑫<br>Mini heart                            | ⑲<br>Egg waffle<br>(Bubble waffle)                |
|   |   |  |   |
|   |   |  |   |
| Baking size :<br>50(diameter)X<br>24(thickness)mm | Baking size :<br>50X35X<br>21(thickness)mm        | Baking size :<br>45X45X<br>25(thickness)mm | Baking size :<br>206X177X<br>15(thickness)mm      |

Supports replacement of 8 types of menu plates.

< Cannot be attached to Type A only/Type B >





Multi Baker E-MAX <Type B>

Two models of electric bakers with replaceable plates, single and double, are available. Both models make it possible for anyone to easily bake menu items, such as belgian waffle, croissant bar, panini, big hot sandwich, pancake, Gaufrette, Financier and Madeleine. Select according to the number of baked menu items and installation space.



Optional items.



Oil drip vat

E-MAX-2B

Power : 100V  
Electricity Consumption : 1500W  
(Top300W Bottom 450W) X2  
Measurements : 540(W)×455(D)×195(H)mm  
List Price : ¥345,000

One of the plates will be included in the set. Additional plates are sold separately.



E-MAX-1B

Power : 100V  
Electricity Consumption : 750W  
(Top300W Bottom 450W)  
Measurements : 270(W)×455(D)×195(H)mm  
List Price : ¥195,000

Supports replacement of 26 types of menu plates.



< Cannot be attached to Type B only/Type A >

① Croissant bar (Chelky bar)





Baking size : 30(diameter)X180(long)mm

② Flat grill





Baking area: 190X200X28 (minimum thickness)mm

⑧ Flat & panini





Baking area: 190X200X28 (minimum thickness)mm

⑨ Panini grill





Baking area: 190X200X28 (minimum thickness)mm

⑩ Big hot sandwich





Baking area: 146X134X29 (minimum thickness)mm

⑬ Belgian waffle round type 1piece small





Baking size : 164(diameter)X26(thickness)mm

⑭ Belgian waffle round type 1piece large





Baking size : 180(diameter)X30(thickness)mm

⑮ Belgian waffle rectangle type 2pieces





Baking size : 98X150X26(thickness)mm

⑯ Belgian waffle rectangle type 4pieces small





Baking size : 97X79X26(thickness)mm

⑰ Belgian waffle square type 4pieces





Baking size : 87X87X26(thickness)mm

⑮ Belgian waffle square type 4pieces large  
*Liege type only*





Baking size : 98X98X26(thickness)mm

⑰ Croissant waffle





Baking area: 200X200X26(thickness)mm

⑲ Waffle round type 1piece





Baking size : 174(diameter)X16(thickness)mm

⑲ Waffle square type 1piece





Baking size : 183X183X16(thickness)mm

⑲ Pan cake and Okonomiyaki





Baking size : 174(diameter)X16(thickness)mm

⑲ Gaufrette round type 4pieces





Baking size : 90(diameter)X2(thickness)mm

⑲ Mini bar





Baking size : 30(diameter)X90(long)mm

⑲ Financier 8 pieces





Baking size : 84X42X20(thickness)mm

⑲ Madeleine 8 pieces





Baking size : 80X45X20(thickness)mm

⑲ Heart waffle 1 piece





Baking size : 175X175X26(thickness)mm

⑲ Waffle bar 4 pieces





Baking size : 98X79X26(thickness)mm

⑲ Gaufrette square type





Baking area: 200X200X3 (minimum thickness)mm

⑲ Ice-cream cones





Baking size : 210(diameter)mm

⑲ Frank grill





Baking size : 180(diameter)X20~24(thickness)mm

⑲ Stick bars



Baking size : 180X20X20(thickness)mm

⑲ Korean pancakes



Baking area: 174(diameter)X28 (minimum thickness)mm

Multi baker MAX and E-MAX plate model and function/compatibility table

| No. | Plate name                               | Model of plate | Number that are cooked (single type) | Number that are cooked (double type) | Baking size                                  | MAX | E-MAX-A | E-MAX-B |
|-----|--|----------------|--------------------------------------|--------------------------------------|--|-----|---------|---------|
| ①   | Croissant bar (Chelky bar)               | CBA0501        | 5                                    | 10                                   | 30(diameter)X180(long)mm                     | ●   |         | ●       |
| ②   | Croissant donut (Chelky ring)            | CCA0401        | 4                                    | 8                                    | 84(diameter)X28(thickness)mm                 | ●   | ●       |         |
| ③   | Baked donut                              | BCA0401        | 4                                    | 8                                    | 84(diameter)X30(thickness)mm                 | ●   | ●       |         |
| ④   | Baked heart donut                        | HCA 0401       | 4                                    | 8                                    | 88X88X30(thickness)mm                        | ●   | ●       |         |
| ⑤   | Baked french cruller                     | FCA0401        | 4                                    | 8                                    | 84(diameter)X30(thickness)mm                 | ●   | ●       |         |
| ⑥   | Petit baked donut                        | PCA0901        | 9                                    | 18                                   | 50(diameter)X24(thickness)mm                 | ●   | ●       |         |
| ⑦   | Flat grill                               | PKF0101        | -                                    | -                                    | Baking area:190X200X28(minimum thickness)    | ●   |         | ●       |
| ⑧   | Flat & panini                            | FPC0101        | -                                    | -                                    | Baking area:190X200X28(minimum thickness)    | ●   |         | ●       |
| ⑨   | Panini grill                             | SPC0101        | -                                    | -                                    | Baking area:190X200X28(minimum thickness)    | ●   |         | ●       |
| ⑩   | Big hot sandwich                         | BHS0101        | 1                                    | 2                                    | Baking area:146X134X29(minimum thickness)    | ●   |         | ●       |
| ⑪   | Café ball                                | SCB1201        | 12                                   | 24                                   | 50X35X21(thickness)mm                        | ●   | ●       |         |
| ⑫   | Mini heart                               | SMH0901        | 9                                    | 18                                   | 45X45X25(thickness)mm                        | ●   | ●       |         |
| ⑬   | Belgian waffle round type 1piece small   | BWR0101        | 1                                    | 2                                    | 160(diameter)X26(thickness)mm                | ●   |         | ●       |
| ⑭   | Belgian waffle round type 1piece large   | BWR0102        | 1                                    | 2                                    | 180(diameter)X30(thickness)mm                | ●   |         | ●       |
| ⑮   | Belgian waffle rectangle type 2pieces    | BWS0201        | 2                                    | 4                                    | 98X150X26(thickness)mm                       | ●   |         | ●       |
| ⑯   | Belgian waffle rectangle type 4pieces    | BWS0401        | 4                                    | 8                                    | 98X79X26(thickness)mm                        | ●   |         | ●       |
| ⑰   | Belgian waffle square type 4pieces small | BWS0402        | 4                                    | 8                                    | 87X87X26(thickness)mm                        | ●   |         | ●       |
| ⑱   | Belgian waffle square type 4pieces large | BWS0403        | 4                                    | 8                                    | 98X98X26(thickness)mm <i>Liege type only</i> | ●   |         | ●       |
| ⑲   | Croissant waffle                         | CWF0101        | ※                                    | ※                                    | Baking area:200X200X26(thickness)            | ●   |         | ●       |
| ⑲   | Waffle round type 1piece                 | WFR0101        | 1                                    | 2                                    | 174(diameter)X16(thickness)mm                | ●   |         | ●       |
| ⑲   | Waffle square type 1piece                | WFS0101        | 1                                    | 2                                    | 183X183X16(thickness)mm                      | ●   |         | ●       |
| ⑲   | Pan cake                                 | POK0101        | 1                                    | 2                                    | 174(diameter)X16(thickness)mm                | ●   |         | ●       |
| ⑲   | Gaufrette round type 4pieces             | GFR0401        | 4                                    | 8                                    | 90(diameter)X2(thickness)mm                  | ●   |         | ●       |
| ⑲   | Mini bar                                 | MBA 1001       | 10                                   | 20                                   | 30(diameter)X90(long)mm                      | ●   |         | ●       |
| ⑲   | Financier 8pieces                        | FNC0801        | 8                                    | 16                                   | 83X42X20(thickness)mm                        | ●   |         | ●       |
| ⑲   | Madeleine 8pieces                        | MDN 0801       | 8                                    | 16                                   | 80X45X20(thickness)mm                        | ●   |         | ●       |
| ⑲   | Heart waffle 1piece                      | HWF0101        | 1                                    | 2                                    | 175X175X16(thickness)mm                      | ●   |         | ●       |
| ⑲   | Waffle bar 4pieces                       | WFB0401        | 4                                    | 8                                    | 98X79X26(thickness)mm                        | ●   |         | ●       |
| ⑲   | Egg waffle (Bubble waffle)               | EWF0101        | 1                                    | 2                                    | 206X177X15(thickness)mm                      | ●   | ●       |         |
| ⑲   | Gaufrette square type                    | GFS0101        | ※                                    | ※                                    | Baking area:200X200X3(thickness)             | ●   |         | ●       |
| ⑲   | Ice cone                                 | SIK0101        | 1                                    | ▲                                    | 210(diameter)mm                              | ●   |         | ●       |
| ⑲   | Frank grill                              | FLG0601        | 6                                    | 12                                   | 180X20~24(thickness)mm                       | ●   |         | ●       |
| ⑲   | Stick bar                                | STB0801        | 8                                    | 16                                   | 180X20X20(thickness)mm                       | ●   |         | ●       |
| ⑲   | Korean pancake                           | KPG0101        | 1                                    | 2                                    | 174(diameter)X8(minimum thickness)           | ●   |         | ●       |

※The number you can bake varies depending on the size of the dough. ▲The use of double type is not recommended. It may cause burns.



Plates are replaceable to enhance flexibility based on the season, time of day, and location.

# Multi Baker PRO

- One-touch plate replacement.
- 16 menu items with just one device.
- Large variety in small quantity.
- Easy and speedy.
- Compact electric baker.
- The entire plate is washable.

Makes it possible to freely develop top-selling menus.



- **MSP-100-DX** Special order.  
Power : 100V  
Electricity Consumption : 1450W  
Measurements : 485(W)×350(D)×190(H)mm  
List Price : ¥398,000
- **MSP-200-DX** Special order.  
Power : 200V (single-phase only)  
Electricity Consumption : 2000W  
Measurements : 485(W)×350(D)×190(H)mm  
List Price : ¥398,000



Use the latch opener to unlock. Plates are easily removable. Simple to mount other plates.

■ Model standard list of Multi baker PRO

| No. | Plate name                             | Model name 100V | Model name 200V | Model of plate | Model of main body with plate 100V | Model of main body with plate 200V |
|-----|--|-----------------|-----------------|----------------|------------------------------------|------------------------------------|
| ①   | Belgian Waffle square type 6 pieces    | MSP-100-DX      | MSP-200-DX      | WS0601         | MSP-100-WS0601                     | MSP-200-WS0601                     |
| ②   | Belgian Waffle rectangle type 6 pieces | MSP-100-DX      | MSP-200-DX      | WS0602         | MSP-100-WS0602                     | MSP-200-WS0602                     |
| ③   | Belgian Waffle round type 2 pieces     | MSP-100-DX      | MSP-200-DX      | WR0201         | MSP-100-WR0201                     | MSP-200-WR0201                     |
| ④   | Belgian Waffle round type 6 pieces     | MSP-100-DX      | MSP-200-DX      | WR0601         | MSP-100-WR0601                     | MSP-200-WR0601                     |
| ⑤   | Croissant bar                          | MSP-100-DX      | MSP-200-DX      | BA0801         | MSP-100-BA0801                     | MSP-200-BA0801                     |
| ⑥   | Mini sponge cake 32 pieces             | MSP-100-DX      | MSP-200-DX      | BC3201         | MSP-100-BC3201                     | MSP-200-BC3201                     |
| ⑦   | Mini sponge cake round type 40 pieces  | MSP-100-DX      | MSP-200-DX      | BR4001         | MSP-100-BR4001                     | MSP-200-BR4001                     |
| ⑧   | Taiyaki                                | MSP-100-DX      | MSP-200-DX      | TI0301         | MSP-100-TI0301                     | MSP-200-TI0301                     |
| ⑨   | Tai-maru kun                           | MSP-100-DX      | MSP-200-DX      | TR0601         | MSP-100-TR0601                     | MSP-200-TR0601                     |
| ⑩   | Mini taiyaki                           | MSP-100-DX      | MSP-200-DX      | MT2101         | MSP-100-MT2101                     | MSP-200-MT2101                     |
| ⑪   | Churros                                | MSP-100-DX      | MSP-200-DX      | CH0701         | MSP-100-CH0701                     | MSP-200-CH0701                     |
| ⑫   | Oobannyaki                             | MSP-100-DX      | MSP-200-DX      | OY0601         | MSP-100-OY0601                     | MSP-200-OY0601                     |
| ⑬   | Teppanyaki (flat)                      | MSP-100-DX      | MSP-200-DX      | PK0101         | MSP-100-PK0101                     | MSP-200-PK0101                     |
| ⑭   | Croissant donut                        | MSP-100-DX      | MSP-200-DX      | CA0601         | MSP-100-CA0601                     | MSP-200-CA0601                     |
| ⑮   | Croissant waffle                       | MSP-100-DX      | MSP-200-DX      | CW0601         | MSP-100-CW0601                     | MSP-200-CW0601                     |
| ⑯   | Cheese dog                             | MSP-100-DX      | MSP-200-DX      | CD0601         | MSP-100-CD0601                     | MSP-200-CD0601                     |

## Replaceable Plates for Multi baker PRO

Plates are replaceable so 1 baker can be used in 16 different ways. One of the plates will be included in the set. Additional plates are sold separately.

- ▲ ① Belgian Waffle square type 6 pieces  
Baking size : 98X98X 26(thickness)mm
- ▲ ② Belgian Waffle rectangle type 6 pieces  
Baking size : 98X79X 26(thickness)mm
- ▲ ③ Belgian Waffle round type 2 pieces  
Baking size : 135(diameter)X 26(thickness)mm
- ▲ ④ Belgian Waffle round type 6 pieces  
Baking size : 87(diameter)X 26(thickness)mm
- ▲ ⑤ Croissant bar  
Baking size : 30(diameter)X 180(long)mm
- ▲ ⑥ Mini sponge cake 32 pieces  
Baking size : 40X30X 30(thickness)mm
- ▲ ⑦ Mini sponge cake round type 40 pieces  
Baking size : 30X30X 30(thickness)mm
- ▲ ⑧ Taiyaki  
Baking size : 140X85X 30(thickness)mm
- ▲ ⑨ Tai-maru kun  
Baking size : 90(diameter)X 28(thickness)mm
- ▲ ⑩ Mini taiyaki  
Baking area: 197X298X 15(height of edge)mm
- ▲ ⑪ Churros  
Baking size : 22X260X 30(thickness)mm
- ▲ ⑫ Oobannyaki  
Baking area: 199X298X 26(thickness)mm
- ▲ ⑬ Teppanyaki (flat)  
Baking size : 150X40X 30(thickness)mm
- ▲ ⑭ Croissant donut  
Baking size : 84(diameter)X 28(thickness)mm
- ▲ ⑮ Croissant waffle  
Baking size : 150X40X 30(thickness)mm
- ▲ ⑯ Dorayaki  
Specifications may change at the time of release.
- ▲ ⑰ Takoyaki  
Specifications may change at the time of release.

## Multi Baker Petit

Freshly baked waffles & pancakes are popular. Baking is easy and speedy, perfect for buffets.

- One-touch plate replacement.
- Power supply AC 100V.
- Bake in 1 minute and 30 seconds (Round waffle plate)
- Washable plates.
- Compact design that allows it to be moved anywhere.

▼ Plates are replaceable so 1 baker can be used in 3 different ways.

With teflon

With teflon

With teflon

▲ Waffle round type  
Baking size : 130(diameter)X 14(thickness)mm

▲ Waffle square type  
Baking size : 120X120X 14(thickness)mm

▲ Pan cake  
Baking size : 130(diameter)X 14(thickness)mm


■ **MPT-1** Special order.  
Power : 100V  
Electricity Consumption : 600W  
Measurements : 200(W)×405(D)×195(H)mm  
List Price : ¥185,000



With your creativity, your waffle menu items can be easily expanded.

Adjust size, shape, and even texture according to your needs.

Waffles born in Belgium are now a standard snack item throughout the world. Brussels and Liege styles are well-known, but with Suntec's Waffle Baker, you can bake a wide variety of items including authentic Belgian waffles. Bake easily and speedily. With different toppings, you can create best-seller menu items employing your own creativity.



■ The model and baking size of the waffle.

| Type of waffle            | Model               |                     | Baking size<br>W:D:H Thickness(m/m) | Number that are cooked |             | Menu No. |
|---------------------------|---------------------|---------------------|-------------------------------------|------------------------|-------------|----------|
|                           | Single Type         | Double Type         |                                     | Single Type            | Double Type |          |
| Belgium waffle baker      | SBW-100 Square type | SBW-200 Square type | 98:150:26                           | 2                      | 4           | ② ③      |
|                           | SBW-100 4/4         | SBW-200 4/4         | 87:87:26                            | 4                      | 8           | ② ③      |
|                           | SBW-100 3/4         | SBW-200 3/4         | 87:87:26                            | 4                      | 8           | ② ③      |
|                           | SBW-100-S01         | SBW-200-S01         | 98:79:26                            | 4                      | 8           | ② ③      |
|                           | SBW-100 Round Type  | SBW-200 Round Type  | Diameter 164φ:26                    | 1                      | 2           | ①        |
|                           | SBW-100-R01         | SBW-200-R01         | Diameter 180φ:32                    | 1                      | 2           | ①        |
|                           | SBW-100-4           | SBW-200-4           | 98:98:26*                           | 4                      | 8           | ③        |
| Croissant waffle          | SBW-300             | SBW-400             | 121:121:26                          | 4                      | 8           | ② ③      |
|                           | CW-100              | CW-200              | 200:200:26*                         | ※                      | ※           | ③ ⑪      |
|                           | CW-300              | CW-400              | 240:240:26                          | ※                      | ※           | ③ ⑪      |
| Waffle baker              | ST-1                | ST-2                | Diameter 174φ:16                    | 1                      | 2           | ⑤ ⑦      |
|                           | SB-10               | SB-20               | 177:177:16                          | 1                      | 2           | ④ ⑥      |
|                           | SBX-1               | SBX-2               | 72:173:14                           | 2                      | 4           | ⑥        |
| Petit waffle baker        | PT-1                | PT-2                | Diameter 130φ:14                    | 1                      | 2           | ⑤ ⑦      |
| Waffle baker Bar type     | BS-1                | BS-2                | 42:184:24                           | 4                      | 8           | ⑨        |
| Waffle heart              | WH-1                | WH-2                | 120:73:10 Oval                      | 4                      | 8           | ⑩        |
| Cookie baker              | CWK-100             | CWK-200             | 83.5:83.5:10                        | 4                      | 8           | ⑧        |
| Flip belgian waffle baker | FWM-1B              |                     | Diameter 178φ:32                    | 1                      |             | ①        |

※The cooked number changes with the size of the dough. \*Sign has the part which is not baked.

### Belgian waffle baker

■SBW-100 Square Type  
Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)×445(D)×180(H)mm  
List Price : ¥138,000

2.Brussels type

■SBW-200 Square Type  
Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)×445(D)×195(H)mm  
List Price : ¥238,000

3.Liege type

### Belgian waffle baker

■SBW-100 3/4  
Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)×445(D)×180(H)mm  
List Price : ¥138,000

2.Brussels type

■SBW-200 3/4  
Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)×445(D)×195(H)mm  
List Price : ¥238,000

3.Liege type

### Belgian waffle baker

■SBW-100-S01  
Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)×445(D)×180(H)mm  
List Price : ¥138,000

2.Brussels type

■SBW-200-S01  
Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)×445(D)×195(H)mm  
List Price : ¥238,000

3.Liege type

### Belgian waffle baker

■SBW-100 Round type  
Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)×445(D)×180(H)mm  
List Price : ¥138,000

1. Crispy type

■SBW-200 Round type  
Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)×445(D)×195(H)mm  
List Price : ¥238,000

Special order.

### Belgian waffle baker

■SBW-100-R01  
Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)×445(D)×180(H)mm  
List Price : ¥145,000

1. Crispy type

■SBW-200-R01  
Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)×445(D)×195(H)mm  
List Price : ¥245,000

Special order.

can be converted to single-phase 200V by special order. can be converted to single-phase 200V or 3-phase 200V by special order.



## Belgian waffle baker

■ **SBW-100-4**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×180(H)mm  
List Price: ¥138,000  
Special order.



■ **SBW-200-4**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×180(H)mm  
List Price: ¥238,000  
Special order.



3.Liege type

## Belgian waffle baker

■ **SBW-300**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 330(W)×505(D)×215(H)mm  
List Price: ¥258,000  
Special order.




2.Brussels type 3.Liege type

■ **SBW-400**  
Power: 200V  
Electricity Consumption: 3000W  
Measurements: 640(W)×505(D)×215(H)mm  
List Price: ¥435,000  
Special order.



## Croissant waffle baker

■ **CW-100**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×180(H)mm  
List Price: ¥155,000  
Special order.




3.Liege type 11.Croissant waffle

■ **CW-200**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×180(H)mm  
List Price: ¥278,000  
Special order.



## Croissant waffle baker

■ **CW-300**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 330(W)×505(D)×215(H)mm  
List Price: ¥258,000  
Special order.



3.Liege type 11.Croissant waffle

■ **CW-400**  
Power: 200V  
Electricity Consumption: 3000W  
Measurements: 640(W)×505(D)×215(H)mm  
List Price: ¥435,000  
Special order.



## Waffle baker

■ **ST-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×165(H)mm  
List Price: ¥138,000




5. Take Out type 7. Soft type

■ **ST-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×165(H)mm  
List Price: ¥238,000



## Waffle baker

■ **SB-10**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×165(H)mm  
List Price: ¥138,000  
Special order.



4. Cake type 6. Stick Bar type

■ **SB-20**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×165(H)mm  
List Price: ¥238,000  
Special order.



## Waffle baker

■ **SBX-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×165(H)mm  
List Price: ¥148,000  
Special order.



6. Stick Bar type

■ **SBX-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×165(H)mm  
List Price: ¥265,000  
Special order.



## Waffle heart

■ **WH-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×170(H)mm  
List Price: ¥148,000  
Special order.




10.Waffle heart

■ **WH-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×170(H)mm  
List Price: ¥265,000  
Special order.



## Petit waffle baker

■ **SPT-1**  
Power: 100V  
Electricity Consumption: 500W  
Measurements: 185(W)×385(D)×165(H)mm  
List Price: ¥120,000  
Special order.



5. Take Out type 7. Soft type

■ **SPT-2**  
Power: 100V  
Electricity Consumption: 1000W  
Measurements: 370(W)×385(D)×175(H)mm  
List Price: ¥185,000  
Special order.



## Cookie baker

■ **CWK-100**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×165(H)mm  
List Price: ¥145,000  
Special order.



8. Cookie type

■ **CWK-200**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×165(H)mm  
List Price: ¥265,000  
Special order.



## Waffle baker

■ **ST-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×165(H)mm  
List Price: ¥138,000




5. Take Out type 7. Soft type

■ **ST-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×165(H)mm  
List Price: ¥238,000



## Waffle baker

■ **SB-10**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×165(H)mm  
List Price: ¥138,000  
Special order.



4. Cake type 6. Stick Bar type

■ **SB-20**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×165(H)mm  
List Price: ¥238,000  
Special order.



## Waffle bar type

■ **BS-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×180(H)mm  
List Price: ¥148,000  
Special order.




9.Bar type

■ **BS-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)×180(H)mm  
List Price: ¥265,000  
Special order.



## Flip Belgian Waffle Baker



1. Crispy type

- Plate can be installed and removed
- The flip waffle maker 180° swivel mechanism.

■ **FWM-1B**

Power: 100V  
Electricity Consumption: 1350W  
Measurements: 294(W)×343(D)×295(H)mm  
List Price: Open price



## Waffle dispenser



Magnet holder for attaching the menu board.

■ **DP-6**  
Measurements: 230(W)×360(D)×410(H)mm  
Capacity: 6L  
List Price: ¥75,000

Dough dispenser for self-serve waffles at hotels and buffets. We have developed this product to solve sanitary problems such as difficulty in using a ladle to pour dough or spilling dough during pouring, making it easier for people to enjoy self-serve waffles. We offer the satisfaction of making your own waffles with ease and simplicity, and the fun of using toppings. ※Also suitable for high-viscosity sauces such as salsa.



## Croissant bar

This is the popular bar type called Croissant bar, Danish dough is twisted and baked.

Baking size:  
30X180(Long)mm



■ **BA-200**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×200(H)mm  
List Price: ¥278,000

■ **BA-100**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×180(H)mm  
List Price: ¥155,000 Special order.



■ **BA-400**  
Power: 200V  
Electricity Consumption: 3000W  
Measurements: 640(W)×505(D)×215(H)mm  
List Price: ¥435,000 Special order.

■ **BA-300**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 330(W)×505(D)  
×215(H)mm  
List Price: ¥258,000 Special order.



## Croissant donut

Now, croissant donuts using twisted Danish dough is drawing everybody's attention.



Baking size:  
84X28(Thickness)mm



■ **CA-200**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×200(H)mm  
List Price: ¥278,000 Special order.

■ **CA-100**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×180(H)mm  
List Price: ¥155,000 Special order.



■ **CA-400**  
Power: 200V  
Electricity Consumption: 3000W  
Measurements: 640(W)×505(D)×215(H)mm  
List Price: ¥435,000 Special order.

■ **CA-300**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 330(W)×505(D)  
×215(H)mm  
List Price: ¥258,000 Special order.



## Baked donut baker

A baker especially designed for popular baked donuts making oil-free baking possible. Bake for 4 to 5 minutes with just a simple operation.



Baking size:  
84X30(Thickness)mm



■ **CA-8**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×180(H)mm  
List Price: ¥278,000 Special order.

■ **CA-4**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×180(H)mm  
List Price: ¥155,000 Special order.



## Petit baked donut baker

Petit size version of the popular baked donuts. With different packaging, the donuts can be arranged for take-out and gift sets and, of course, it will be perfect for the dessert menu of your shop/restaurant.



Baking size:  
50X24(Thickness)mm




■ **PCA-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×175(H)mm  
List Price: ¥278,000 Special order.

■ **PCA-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×175(H)mm  
List Price: ¥155,000 Special order.



## Heart donut

No-fry baked donuts are now available in a heart shape. With your ideas, they will quickly turn into hugely popular snack.



Baking size:  
88X88X30(Thickness)mm



■ **HCA-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×185(H)mm  
List Price: ¥278,000 Special order.

■ **HCA-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×185(H)mm  
List Price: ¥155,000 Special order.



## Baked french cruller

Introducing the new French cruller, the baked donuts that don't require deep-frying. With cooking time of only 4 to 5 minutes, it will contribute the creation of a menu rich in variety.




Baking size:  
84X30(Thickness)mm



■ **FCA-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×185(H)mm  
List Price: ¥278,000 Special order.

■ **FCA-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×185(H)mm  
List Price: ¥155,000 Special order.



## Mini bar (Mini croissant bar)

Mini size version of the popular croissant bar. Bite size, affordable feeling has increased further. By changing the dough, you can increase the menu variation.



30X90(Long)mm



■ **MBA-200**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×185(H)mm  
List Price: ¥278,000 Special order.

■ **MBA-100**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×185(H)mm  
List Price: ¥155,000 Special order.



## Ice sandwich

The popular ice cream sandwich is made with brioche bun with ice cream in between and quickly toasted. (Ice cream sandwich)



■ **SVO-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×190(H)mm  
List Price: ¥148,000 Special order.



■ **SVO-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×190(H)mm  
List Price: ¥265,000 Special order.



## Vanilla heart

Cute and fun! Heart-shaped sweets & snack baker. Freely arrange types and textures of the dough and enjoy the fresh aroma and taste. Suitable for take-out as the donuts keep their rich aroma and taste even when cold.



Baking sizes:  
88X83X19(Thickness)mm



■ **VH-20**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×175(H)mm  
List Price: ¥278,000 Special order.

■ **VH-10**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)×175(H)mm  
List Price: ¥155,000 Special order.



## Mini heart

The new stylish, petit-sized, heart-shaped sweets will be appealing just by their appearance. The freshly baked aroma and adorable shape will increase customers.



Baking size:  
45X45X25(Thickness)mm



■ **MH-2**  
Power: 100V  
Electricity Consumption: 1500W  
Measurements: 510(W)×445(D)  
×185(H)mm  
List Price: ¥278,000 Special order.

■ **MH-1**  
Power: 100V  
Electricity Consumption: 750W  
Measurements: 255(W)×445(D)  
×185(H)mm  
List Price: ¥155,000 Special order.





## Café ball

New sweets in the form of a coffee bean with the taste and aroma just like coffee itself. Crispy outside, moist inside, bite-sized, and it maintains its delicious taste and aroma even when cold. As it can be prepared in advance, ideal for take-outs. Its frozen dough is made with collagen, a popular ingredient with women.



Baking size: 50X35(Thickness)X21(Maximum)mm



Café ball frozen dough 1.4kgX10bags / 1case  
Packing size : 370X250X200mm  
1case



Café Ball Advertisement Flag and Poster  
Flag size : 450X1800mm  
Poster size : 450X590mm  
(10sets / 1set)



### SCB-1

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X445(D)X175(H)mm  
List Price : ¥155,000  
Special order.



### SCB-2

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)X445(D)X175(H)mm  
List Price : ¥278,000  
Special order.



## Cheese dogger

With its taste and convenience, the new menu item increasingly popular with you people is "Cheese Dog". The operation is easy and at one time 3 to 6 "Cheese Dogs" will be ready in approximately 3 minutes.

### CD-3

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X445(D)X180(H)mm  
List Price : ¥155,000  
Special order.



### CD-6

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)X445(D)X180(H)mm  
List Price : ¥278,000  
Special order.



Baking size: 44X150(Long)mm

## Ice cone

Crispy hand-made ice cream cones can be easily prepared, making it possible to arrange various dessert and ice cream menu items.

### SIK-1L

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X485(D)X160(H)mm  
List Price : ¥168,000  
Special order.



Baking size: 210(Maximum)mm



Mold Stick for Ice Cone

## Crepe machine

Delicious popular crepes are made quickly. Crepe Chef is what you want to install.

### SC-100

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 490(W)X490(D)X195(H)mm  
List Price : ¥198,000

### SC-200

Power : 200V single-phase  
Electricity Consumption : 2700W  
Measurements : 490(W)X490(D)X190(H)mm  
List Price : ¥198,000



Baking size: 410(Maximum)mm



Spreader and spatula included.

## Crepe press

Place the dough on the plate and press while baking. A thin and clean crepe can be easily baked by anyone. It is also ideal for making mini crepes, which are a popular item now.

### SCP-1

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X485(D)X160(H)mm  
List Price : ¥168,000  
Special order.



Baking size: 210(Maximum)mm

## Pan cake baker / Mini pan cake baker / Petit pan cake baker

Popular pancake baker that comes in <Standard>, <Mini> and <Petit> size versions. As both sides are cooked simultaneously, can be served in a short period of time. Can be used to prepare dessert, breakfast, or light snack pancake menu items even for fast food take-outs.

All photos are double type.

### POK-1

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X445(D)X165(H)mm  
List Price : ¥138,000  
Special order.

### POK-2

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)X445(D)X165(H)mm  
List Price : ¥238,000  
Special order.



### MPK-10

Power : 100V  
Electricity Consumption : 500W  
Measurements : 185(W)X385(D)X165(H)mm  
List Price : ¥120,000  
Special order.

### MPK-20

Power : 100V  
Electricity Consumption : 1000W  
Measurements : 370(W)X385(D)X175(H)mm  
List Price : ¥185,000  
Special order.




### PK-1

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X445(D)X165(H)mm  
List Price : ¥145,000  
Special order.

### PK-2

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)X445(D)X165(H)mm  
List Price : ¥265,000  
Special order.



Baking size: 174X16(Thickness)mm



Baking size: 130X14(Thickness)mm



Baking size: 50X15(Maximum thickness)mm

POK-1 (single) and POK-2 (double) can be used as an okonomiyaki machine, and MPK-10 (single) and MPK-20 (double) can be used as a mini okonomiyaki machine.

## Hot sandwich maker

Easily and quickly make the popular hot sandwiches and space saving compact design.

### SHS-1

Power : 100V  
Electricity Consumption : 500W  
Measurements : 185(W)X385(D)X165(H)mm  
List Price : ¥120,000



### SHS-2

Power : 100V  
Electricity Consumption : 1000W  
Measurements : 370(W)X385(D)X185(H)mm  
List Price : ¥185,000



## Big hot sandwich maker

The popular hot sandwiches are now with bigger in size. Can even cook the crust. Makes a big hot sandwich and does not require the crust to be cut off the crust, so you can enjoy every bit of the bread.

### BHS-1

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X445(D)X175(H)mm  
List Price : ¥148,000  
Special order.



### BHS-2

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)X445(D)X175(H)mm  
List Price : ¥255,000  
Special order.



## Panini cooker

Grills 3 pieces of Panini bread in a single plate at once. Also, hot sandwiches can be prepared in 1 minutes and 30 seconds to 3 minutes.

### PC-10

Power : 100V  
Electricity Consumption : 750W  
Measurements : 255(W)X445(D)X165(H)mm  
List Price : ¥168,000



### PC-20

Power : 100V  
Electricity Consumption : 1500W  
Measurements : 510(W)X445(D)X165(H)mm  
List Price : ¥268,000



## Press grill maker / Press sandwich maker

It quickly grills hot sandwiches using all kinds of breads.

### SG-1

Power : 100V  
Electricity Consumption : 1250W  
Measurements : 355(W)X470(D)X330(H)mm  
List Price : ¥168,000



### SP-1

Power : 100V  
Electricity Consumption : 1250W  
Measurements : 355(W)X470(D)X330(H)mm  
List Price : ¥168,000



Other equipment

can be converted to single-phase 200V by special order. can be converted to single-phase 200V or 3-phase 200V by special order.



## Convection oven

The fist 100V specification, table-top and ultra-compact type for professional use. Fresh and delicious bread can be provided in any store/restaurant. Simple operation. With speedy launching, it will evenly bake authentic bread.



### ■COS-200

Power: 100V  
Electricity Consumption: 1350W  
Measurements: 480(W)×535(D)×420(H)mm  
Internal dimensions: 350(W)×250(D)×210(H)mm  
Three-stage tray size: 320×240mm  
List Price: ¥325,000

## Pizza presser

Anyone can easily make authentic crispy pizza dough. While heating, it will shape the pizza and bake it in 20 seconds using the principle of leverage. ■SDP-35



**Forms pizza dough instantly while applying heat.**

## Conveyor toaster

### 100V specification

TM3-5H with 100V power supply specification is a compact type. It can be easily moved and can be installed anywhere. A large amount of toast can be toasted evenly and deliciously. Anyone can easily use it for themselves, making it perfect for hotels, buffets, etc. The 4 models with 200V power supply specifications are high-power types, so you can bake large quantities of toast, buns, etc. evenly and deliciously in a short time. The compact size allows for efficient use of space, making it suitable for installation in the kitchen.

### Single phase 200V specification

[Single-phase 200V plug shape]  
Home grounding (2-pole installation type) 20A, model: WF5324 (Panasonic), Me7018 (Meikosha), etc.  
\*The plug shape can be changed to the specified plug by special order.



### ■TM3-5H

Power: 100V  
Electricity Consumption: 1410W  
Measurements: 300(W)×470(D)×420(H)mm  
Opening for bread size: 175(W)×85(H)mm  
List Price: ¥345,000  
Equipped with warm-up system.



### ■TM-10H

Power: 200V  
Electricity Consumption: 2130W  
Measurements: 368(W)×419(D)×387(H)mm  
Opening for bread size: 264(W)×88(H)mm  
List Price: ¥350,000  
As bread can be taken out from the rear side of the product.



### ■TM3-10H

Power: 200V  
Electricity Consumption: 2110W  
Measurements: 368(W)×464(D)×411(H)mm  
Opening for bread size: 264(W)×76(H)mm  
List Price: ¥398,000  
Equipped with warm-up system.



### ■TQ-400H

Power: 200V  
Electricity Consumption: 2064W  
Measurements: 370(W)×555(D)×435(H)mm  
Opening for bread size: 244(W)×70(H)mm  
List Price: ¥5284,000  
As bread can be taken out from the rear side of the product. Each element top and bottom is controllable.




### ■TQ-800H

Power: 200V  
Electricity Consumption: 3080W  
Measurements: 370(W)×680(D)×435(H)mm  
Opening for bread size: 244(W)×70(H)mm  
List Price: ¥601,000

## Mini sponge cake baker

Mini round sponge cakes are popular for their fluffy and light texture. The sweet aroma during baking will be appealing. The compact design that will fit anywhere, will bake 50 pieces in 3-4 minutes with simple operation.



### ■CTK-100-50

Power: 100V  
Electricity Consumption: 1500W X 2 line  
Measurements: 550(W)×410(D)×280(H)mm  
List Price: Open price

### ■CTK-200-50

Power: 200V single-phase  
Electricity Consumption: 3000W  
Measurements: 550(W)×410(D)×280(H)mm  
List Price: Open price

**Multi baker PRO**  
There is plate replacement type.



Refer to 11 and 12 page.

## Fermenter

In case the dough requires fermentation, the fermenter (final proof) allows for the precise management of temperature and time for even greater convenience.



### ■Fermenter

Power: 100V  
Electricity Consumption: 750W  
Measurements: 460(W)×600(D)×800(H)mm  
Temperature adjust: 30°C ~ 90°C  
List Price: Open price  
A separate baking tray will be required.



## Popcorn

The operation is so simple. Lightweight and easy to move. Comes with a heater to keep the popcorn warm, so that it can be served as though it had just been popped.



### ■APM-6 II

Power: 100V  
Electricity Consumption: 1200W  
Measurements: 470(W)×420(D)×770(H)mm  
Productivity: 180g / 2min.  
List Price: ¥300,000



### ■APM-12

Power: 100V  
Electricity Consumption: 1200W  
Measurements: 540(W)×540(D)×790(H)mm  
Productivity: 300g / 2min.  
List Price: ¥400,000



### ■APM-20

Power: 200V Single-phase only  
Electricity Consumption: 2000W  
Measurements: 700(W)×700(D)×950(H)mm  
Productivity: 500g / 2min.  
List Price: Open price



### ■PA-36

Power: 100V  
Electricity Consumption: 1010W  
Measurements: 480(W)×380(D)×510(H)mm  
Productivity: 350g / 3min.  
List Price: ¥140,000



■AP-6K-B (Cart only. / A popcorn machine is sold separately.)  
Measurements: 890(W)×600(D)×810(H)mm  
List Price: Open price  
■AP-12K-A (Cart only. / A popcorn machine is sold separately.)  
Measurements: 980(W)×750(D)×810(H)mm  
List Price: Open price

### Popcorn ingredients

- Popcorn beans / 22.7kg
- Popcorn beans / 2kg
- Popcorn oil / 250g
- Seasoning / 1kg
- Caramel sugar / 1kg
- Triangle cup / 100 cups
- Hexagon cup / 1000 cups

### Popcorn ingredients set (for 300 sets)

- Popcorn beans / 6kg
- Popcorn oil / 1.5kg
- Seasoning / 300g
- Triangle cup / 300 cups

(Available for 500 sets and 1000 sets)



## Cotton candy

Easy operation. Best for sales promotion.



### ■CA-120

Power: 100V  
Electricity Consumption: 1200W  
Measurements: 640(W)×640(D)×800(H)mm  
Capacity: 3~5 pieces every 1 min.  
List Price: ¥220,000



### ■TK-5

Power: A00V  
Electricity Consumption: 700W  
Measurements: 500(W)×500(D)×600(H)mm  
Capacity: 1~1.5 pieces every 1 minutes  
Suggested list Price: ¥100,000



### ■CA-6 Vending machine (for 100 yen coins)

Power: 100V  
Electricity Consumption: 700W  
Measurements: 700(W)×510(D)×1400(H)mm  
Capacity: 1 piece every 1 minutes  
List Price: ¥360,000



### ■CA-7

Power: 100V  
Electricity Consumption: 700W  
Measurements: 500(W)×500(D)×650(H)mm  
Capacity: 1 piece every 1 minutes  
List Price: ¥110,000



### ■CA-7 (Bubble cover)

Power: 100V  
Electricity Consumption: 700W  
Measurements: 525(W)×500(D)×770(H)mm  
Capacity: 1 piece every 1 minutes  
Suggested list Price: ¥120,000

### Cotton Candy ingredients

- Granulated Sugar (red) / 1kg
- Granulated Sugar (White) / 1kg
- Disposable wooden chopstick / 100 pieces
- Character bags / 100 sheets

### Cotton Candy ingredients set(for 300 sets)

- Granulated Sugar (red) / 2kg
- Granulated Sugar (White) / 2kg
- Disposable wooden chopstick / 300 pieces
- Character bags / 300 sheets



## Original logo plate


**Would you like to create an original logo menu item.**

You can produce original plates that can make your own logo and menu items with characters in popular petit waffle and pancakes.

**Bake up with logo menu item.**



Space where you can put your original logo or character.



■Petit waffle round type  
These part are original plates.



In addition, you can also make the original plate for Pancake Baker and Big Hor Sandwich Maker.


Power: 100V  
Electricity Consumption: 1000W  
Measurements: 370(W)×385(D)×175(H)mm

Other equipment




## Auxiliary materials

A wealth of accessories only Suntec with its full knowledge of menus can provide.



1,000×10/1case  
170×100+50mm

Petit waffle wrap(Bag)



1,000×10/1case  
205×120+50mm

Waffle wrap(Bag)



1kg×6/1case  
Sunclean(Release oil)




500ml  
Sun-spray(Release oil)



Tie-brush



Mold stick for ice cone




Crepe spreader



Timer installation stand  
(Effective area :  
60X43mm)

Timer  
installation  
part

Timer installation stand for MPT  
(Effective area 60X58mm)



【Timer installation stand】

## Special ingredients



Soft waffle mix powder / 10kg



Belgium mix powder  
1kg×10/1case



Baked donut mix powder /  
10kg




Ice cream cone mix powder /  
1kg×10bags



Miracle sugar 5kg / 1case  
For waffle liege type



Belgium waffle frozen dough  
45g×100pieces / 1case



Croissant waffle frozen dough  
150g×40pieces / 1case



Chelky frozen dough  
200 pieces / 1case



Café ball frozen paste  
1.4kg×10bags / 1case



Chelky pure sweet  
2kg×3bags / 1case  
Coating sugar for chelky

## Tool for sales promotion



SP-A (Foming agent)  
1kg×10bags / 1case  
For soft waffle



Café Ball Advertisement  
Flag and POP(Poster)



Belgium Waffle Advertisement  
Flag and POP(Poster)



Croissant POP(Poster)  
Donut type and bar type

**Contributing to the creation of a menu  
you can count on.**

**SUNTEC CO.,LTD.**

2-8-12 Mukojima, Sumida-ku, Tokyo  
131-0033 Japan

Telephone No.81-3-6746-9797

Facsimile No.81-3-6746-9669

http://www.suntec-jp.co.jp

E-mail info@suntec-jp.co.jp

※ The consumption tax is not included in the prices.

※ For quality improvement, the specification might be changed  
without notice.

### ● Sales Agent