



SUNTEC®



100V



110/220V



Download this catalog
PDF from this QR code.



Our website can be
accessed from this
QR code.



Contributing to the creation of a menu you can count on.

SUNTEC CO., LTD.



Easy baking of various menus.

SUNTEC offers a wide range of cooking equipment based on the theme of “baking” from various sweets such as waffles, croissant dough, baked donut to snack menus and event snacks, centering on the popular classic menu Belgian waffle.

Pursuing convenience and diversity with Multi baker.

In the cooking of the menu to be baked, the menu is determined by the shape of the plate, but the Multi baker series succeeded in making the plate replaceable. By exchanging optional plates with one unit, you can easily bake a surprising variety of menus.

Difference between the Multi baker series and conventional products.

Multi baker series	Other than multi-baker (conventional product)
Plate exchange (one-touch exchange)	Plate exchange (exchange by our company)
<ul style="list-style-type: none"> • A wide variety of menus can be provided. • Flexible support depending on the situation (multiple menus can be baked with one unit) • Plates can be washed in water (easy cleaning) • When recoating Teflon on a plate, only the plate can be sent without sending the whole machine. • The cleaning time is shortened because the plate can be removed. • Depending on the situation, it is possible to provide a small amount and various menus. (Food loss measures) Ex) In case of Multi Baker PRO. Menu example of supermarket side dish corner. Taiyaki / Oobanyaki / Okonomiyaki / Cheese dog, etc. • Menu can be changed every season. • Menu can be changed daily. • Menu can be changed according to time of the day. Ex) In case of Multi Baker MAX. A breakfast special = pancake, Lunchtime = hot sandwich or panini, Snack = Waffle etc. 	<ul style="list-style-type: none"> • Suitable for single menu (dedicated machine) • As it is a dedicated machine, it is cheaper than the multi-baker series • Plates cannot be washed in water. • The plate must be sent together with the machine when recoating Teflon. (Plate replacement fee will be charged separately)

Multi baker series

3 ~ 12



- Multi baker MAX
- Multi baker E-MAX
- Multi baker PRO
- Multi baker Petit



Waffle baker series

13 ~ 16



- Belgian waffle baker
- Waffle baker
- Waffle heart
- Waffle bar
- Croissant waffle bake
- Petit waffle baker
- Cookie baker
- Waffle dispenser

Croissant dough / Baked donut

17 ~ 18



- Croissant bar
- Mini bar (Mini croissant bar)
- Baked donut
- Heart donut
- Vanilla heart
- Croissant donut
- Ice sandwich maker
- Petit baked donut
- Baked french cruller
- Mini heart

Other equipment

19 ~ 22



- Café ball
- Ice cone
- Crepe press
- Hot sandwich maker
- Panini cooker
- Press grill maker
- Pizza presser
- Conveyor toaster
- Fermenter
- Cotton candy
- Cheese dog
- Crepe machine
- Pancake baker
- Big hot sandwich
- Press sandwich maker
- Convection oven
- Mini sponge cake
- Popcorn
- About the original logo plate (custom order)

Plates are replaceable to enhance flexibility based on the season, time of day, and location.

Multi Baker MAX

Replaceable plates will freely enable the development of top-selling menu items.

With a single electric baker using replaceable plates, baking is made easy for everyone - from authentic Belgian waffles to baked donuts that are in great demand at the moment as well as popular menu items such as croissant donuts and croissant bars. As it can add more variety to menus in small quantities, it will greatly contribute to increasing sales according to the season, the time of the day and location of the shop/restaurant. Multi Baker MAX comes in single (MAX-1) and double (MAX-2) types which can be selected according to your sales volume and installation space. Each product comes with a plate set which can be selected from 30 different types. Additional plates are sold separately.

Multi function of Multi Baker MAX.

- One-touch plate replacement.** An innovative replaceable plate can be installed and removed with just a one-touch operation.
- The entire plate is washable.** Removed plate can be washed in water to make cleaning easier.
- Multiple menu items with just one device.** By adding the optional plates, it becomes possible to roll out various menu items with just a single baker.
- Large variety in small quantity.** Best for producing a variety of items in small quantities in order to meet needs according to the season, time of day and location of the shop.
- Easy and speedy.** All you have to do is put the dough on the plate and press. Instant baking with top and bottom heating plates.
- Compact electric baker.** Compact and lightweight, that can be placed anywhere.

Simple baking is made possible with just filling the dough inside the plate and closing the lid.



Put dough on the plate.



Close the lid, set the time and start baking.



Simple as that.

Easy plate replacement will readily allow multiple menu items.

Electric baker with replaceable plates that comes in 2 types, single and double. Using these bakers, anyone can easily make popular menu items, from authentic Belgian waffles, popular baked donuts and croissant donuts (Chelky ring), croissant bars (Chelky bars) and café balls, croissant waffles, and pancakes. Choose according to the number of bakeable pastries at a time and installation space.


Removal and mounting of plates is easy.



Use the latch opener to unlock.



Plates are easily removable.




Simple to mount other plates.



•Included items.

Comes with a hinge stopper that will anchor the lid to prevent accidental toppling during the plate replacement.



The lid raises.

The lid lowers.

•Standard equipment.



•Optional items.

There are also plates to which an oil drip vat can be attached.



MAX-1

Power : 110/220V
Electricity Consumption : 110V910W 220V1090W
Measurements : 270(W)×455(D)×195(H)mm
List Price : ¥238,000



MAX-2


Power : 110/220V
Electricity Consumption : 110V1820W 220V2180W
Measurements : 540(W)×455(D)×195(H)mm
List Price : ¥398,000

Newly developed digital control panel.(MAX-1)



4 output settings depending on the menu item.


Newly developed digital control panel.(MAX-2)




Common to both Multi Baker MAX & E-MAX

34 types of plates

For example, in this way, the menu item provided can be changed depending on the time of day and usage.



•One of the plates will be included in the set.



There are 34 types of basic baking menu items. The menu items that your shop will be able to offer will expand infinitely depending on your ingenuity.



Plates are replaceable to enhance flexibility based on the season, time of day, and location.


Multi Baker E-MAX

Popular replaceable plate types for multiple menu items.

- Compared to the Multi Baker MAX, which allows for 34 menu items to be baked using a single electric baker with replaceable plates, the Multi Baker E-MAX is the same replaceable plate type, but with a limited number of menu items and a simplified analog control system, it is reasonably priced. The main body comes in 4 models.
- Type A and Type B are available depending on the types of multiple replaceable plates used, and each comes in a single type (E-MAX-1A/E-MAX-1B) and a double type (E-MAX-2A/E-MAX-2B). Each model comes with one set of one type of plate. Additional plates are optional.

See the previous page for a list of all types of plates.

Please refer to the function/compatibility table on page 10 for compatibility between each plate and the main body.



Removal and mounting of plates is easy.

Be sure to use a plate that is compatible with the model of main body used.



Use the latch opener to unlock.



Plates are easily removable.



Simple to mount other plates.

Difference between E-MAX and MAX

- Limited number of plates (= menu items)**
[Type A] can be used with 8 types of plates, and [Type B] with 22 types. This is because the thickness of the plate used varies depending on the menu item, but the performance remains the same.
- Analog control for simple operation.**
Baking uses a simple ON-OFF analog system (MAX has digital control + preset mechanism). There is no difference in baking.
- Affordable low price**
Based on MAX, a low price is achieved by adopting a simple adjuster design that accommodates plates of different thicknesses and analog control. The hurdle for introduction has been lowered.

With the newly developed simple adjuster structure, the height of the top lid can be easily adjusted, and plates of different thicknesses can be attached.



Has both adjusters.

Lift upward.

Simply tilt toward the back.

Multi Baker E-MAX <Type A>

Two models of electric bakers with replaceable plates, single and double, are available. Both models make it possible for anyone to easily bake popular menu items, such as baked donuts, croissant donuts (Chelky rings), cafe balls, mini hearts, and egg waffles. Select according to the number of baked menu items and installation space.



E-MAX-1A

Power : 110/220V
Electricity Consumption : 910W
(Top300W Bottom 450W)
Measurements : 270(W)×455(D)×195(H)mm
List Price : ¥195,000

•Optional items.



Oil drip vat

E-MAX-2A

Power : 110/220V
Electricity Consumption : 1820W
(Top300W Bottom 450W) X2
Measurements : 540(W)×455(D)×195(H)mm
List Price : ¥345,000

One of the plates will be included in the set. Additional plates are sold separately.

② Croissant donut (Chelky ring)	③ Baked donut	④ Baked heart donut	⑤ Baked french cruller
Baking size : 84(diameter)X 28(thickness)mm	Baking size : 84(diameter)X 30(thickness)mm	Baking size : 88X88X 30(thickness)mm	Baking size : 84(diameter)X 30(thickness)mm
⑥ Petit baked donut	⑪ Café ball	⑫ Mini heart	⑲ Egg waffle (Bubble waffle)
Baking size : 50(diameter)X 24(thickness)mm	Baking size : 50X35X 21(thickness)mm	Baking size : 45X45X 25(thickness)mm	Baking size : 206X177X 15(thickness)mm

Supports replacement of 8 types of menu plates.

< Cannot be attached to Type A only/Type B >



Multi Baker E-MAX <Type B>

Two models of electric bakers with replaceable plates, single and double, are available. Both models make it possible for anyone to easily bake menu items, such as belgian waffle, croissant bar, panini, big hot sandwich, pancake, Gaufrette, Financier and Madeleine. Select according to the number of baked menu items and installation space.



Optional items.



Oil drip vat

E-MAX-2B

Power : 110/220V
Electricity Consumption : 110V1820W 220V2180W
(Top300W Bottom 450W) X2
Measurements : 540(W)×455(D)×195(H)mm
List Price : ¥345,000

One of the plates will be included in the set. Additional plates are sold separately.



E-MAX-1B

Power : 110/220V
Electricity Consumption : 110V910W 220V1090
(Top300W Bottom 450W)
Measurements : 270(W)×455(D)×195(H)mm
List Price : ¥195,000

Supports replacement of 26 types of menu plates.



< Cannot be attached to Type B only/Type A >

① Croissant bar (Chelky bar)





Baking size : 30(diameter)X180(long)mm

② Flat grill





Baking area: 190X200X28 (minimum thickness)mm

⑧ Flat & panini





Baking area: 190X200X28 (minimum thickness)mm

⑨ Panini grill





Baking area: 190X200X28 (minimum thickness)mm

⑩ Big hot sandwich





Baking area: 146X134X29 (minimum thickness)mm

⑬ Belgian waffle round type 1piece small





Baking size : 164(diameter)X26(thickness)mm

⑭ Belgian waffle round type 1piece large





Baking size : 180(diameter)X30(thickness)mm

⑮ Belgian waffle rectangle type 2pieces





Baking size : 98X150X26(thickness)mm

⑯ Belgian waffle rectangle type 4pieces small





Baking size : 97X79X26(thickness)mm

⑰ Belgian waffle square type 4pieces





Baking size : 87X87X26(thickness)mm

⑮ Belgian waffle square type 4pieces large





Baking size : 98X98X26(thickness)mm

⑰ Croissant waffle





Baking area: 200X200X26(thickness)mm

⑲ Waffle round type 1piece





Baking size : 174(diameter)X16(thickness)mm

⑲ Waffle square type 1piece





Baking size : 183X183X16(thickness)mm

⑲ Pan cake and Okonomiyaki





Baking size : 174(diameter)X16(thickness)mm

⑲ Gaufrette round type 4pieces





Baking size : 90(diameter)X2(thickness)mm

⑲ Mini bar





Baking size : 30(diameter)X90(long)mm

⑲ Financier 8 pieces





Baking size : 84X42X20(thickness)mm

⑲ Madeleine 8 pieces





Baking size : 80X45X20(thickness)mm

⑲ Heart waffle 1 piece





Baking size : 175X175X26(thickness)mm

⑲ Waffle bar 4 pieces





Baking size : 98X79X26(thickness)mm

⑲ Gaufrette square type





Baking area: 200X200X3 (minimum thickness)mm

⑲ Ice-cream cones





Baking size : 210(diameter)mm

⑲ Frank grill





Baking size : 180(diameter)X20~24(thickness)mm

⑲ Stick bars



Baking size : 180X20X20(thickness)mm

⑲ Korean pancakes



Baking area: 174(diameter)X28 (minimum thickness)mm

Multi baker MAX and E-MAX plate model and function/compatibility table

No.	Plate name	Model of plate	Number that are cooked (single type)	Number that are cooked (double type)	Baking size	MAX	E-MAX-A	E-MAX-B
①	Croissant bar (Chelky bar)	CBA0501	5	10	30(diameter)X180(long)mm	●		●
②	Croissant donut (Chelky ring)	CCA0401	4	8	84(diameter)X28(thickness)mm	●	●	
③	Baked donut	BCA0401	4	8	84(diameter)X30(thickness)mm	●	●	
④	Baked heart donut	HCA 0401	4	8	88X88X30(thickness)mm	●	●	
⑤	Baked french cruller	FCA0401	4	8	84(diameter)X30(thickness)mm	●	●	
⑥	Petit baked donut	PCA0901	9	18	50(diameter)X24(thickness)mm	●	●	
⑦	Flat grill	PKF0101	-	-	Baking area:190X200X28(minimum thickness)	●		●
⑧	Flat & panini	FPC0101	-	-	Baking area:190X200X28(minimum thickness)	●		●
⑨	Panini grill	SPC0101	-	-	Baking area:190X200X28(minimum thickness)	●		●
⑩	Big hot sandwich	BHS0101	1	2	Baking area:146X134X29(minimum thickness)	●		●
⑪	Café ball	SCB1201	12	24	50X35X21(thickness)mm	●	●	
⑫	Mini heart	SMH0901	9	18	45X45X25(thickness)mm	●	●	
⑬	Belgian waffle round type 1piece small	BWR0101	1	2	160(diameter)X26(thickness)mm	●		●
⑭	Belgian waffle round type 1piece large	BWR0102	1	2	180(diameter)X30(thickness)mm	●		●
⑮	Belgian waffle rectangle type 2pieces	BWS0201	2	4	98X150X26(thickness)mm	●		●
⑯	Belgian waffle rectangle type 4pieces	BWS0401	4	8	98X79X26(thickness)mm	●		●
⑰	Belgian waffle square type 4pieces small	BWS0402	4	8	87X87X26(thickness)mm	●		●
⑱	Belgian waffle square type 4pieces large	BWS0403	4	8	98X98X26(thickness)mm Liege type only	●		●
⑲	Croissant waffle	CWF0101	※	※	Baking area:200X200X26(thickness)	●		●
⑲	Waffle round type 1piece	WFR0101	1	2	174(diameter)X16(thickness)mm	●		●
⑲	Waffle square type 1piece	WFS0101	1	2	183X183X16(thickness)mm	●		●
⑲	Pan cake	POK0101	1	2	174(diameter)X16(thickness)mm	●		●
⑲	Gaufrette round type 4pieces	GFR0401	4	8	90(diameter)X2(thickness)mm	●		●
⑲	Mini bar	MBA 1001	10	20	30(diameter)X90(long)mm	●		●
⑲	Financier 8pieces	FNC0801	8	16	83X42X20(thickness)mm	●		●
⑲	Madeleine 8pieces	MDN 0801	8	16	80X45X20(thickness)mm	●		●
⑲	Heart waffle 1piece	HWF0101	1	2	175X175X16(thickness)mm	●		●
⑲	Waffle bar 4pieces	WFB0401	4	8	98X79X26(thickness)mm	●		●
⑲	Egg waffle (Bubble waffle)	EWFO101	1	2	206X177X15(thickness)mm	●	●	
⑲	Gaufrette square type	GFS0101	※	※	Baking area:200X200X3(thickness)	●		●
⑲	Ice cone	SIK0101	1	▲	210(diameter)mm	●		●
⑲	Frank grill	FLG0601	6	12	180X20~24(thickness)mm	●		●
⑲	Stick bar	STB0801	8	16	180X20X20(thickness)mm	●		●
⑲	Korean pancake	KPG0101	1	2	174(diameter)X8(minimum thickness)	●		●

※The number you can bake varies depending on the size of the dough. ▲The use of double type is not recommended. It may cause burns.

Plates are replaceable to enhance flexibility based on the season, time of day, and location.

Multi Baker PRO

- One-touch plate replacement.
- 16 menu items with just one device.
- Large variety in small quantity.
- Easy and speedy.
- Compact electric baker.
- The entire plate is washable.

Makes it possible to freely develop top-selling menus.



With replaceable plates in a single electric baker, anyone can easily bake popular items from authentic Belgian waffles Chelky, baby sponge cake to Taiyaki. It will become possible to roll out low volume, high-mix menu items according to the season, time of day and location thereby contributing to increased sales.



All you have to do is put the dough on the plate and grill it like a sandwich.
Oil drip vat and Oil drip vat mounting fixture

■ MSP-100-DX

Power : 110V
Electricity Consumption : 1760W
Measurements : 485(W)×350(D)×190(H)mm
List Price : ¥398,000

■ MSP-200-DX

Power : 220V (single-phase only)
Electricity Consumption : 2000W
Measurements : 485(W)×350(D)×190(H)mm
List Price : ¥398,000



Use the latch opener to unlock. Plates are easily removable. Simple to mount other plates.

■ Model standard list of Multi baker PRO

No.	Plate name	Model name 100V	Model name 200V	Model of plate	Model of main body with plate 100V	Model of main body with plate 200V
①	Belgian Waffle square type 6 pieces	MSP-100-DX	MSP-200-DX	WS0601	MSP-100-WS0601	MSP-200-WS0601
②	Belgian Waffle rectangle type 6 pieces	MSP-100-DX	MSP-200-DX	WS0602	MSP-100-WS0602	MSP-200-WS0602
③	Belgian Waffle round type 2 pieces	MSP-100-DX	MSP-200-DX	WR0201	MSP-100-WR0201	MSP-200-WR0201
④	Belgian Waffle round type 6 pieces	MSP-100-DX	MSP-200-DX	WR0601	MSP-100-WR0601	MSP-200-WR0601
⑤	Croissant bar	MSP-100-DX	MSP-200-DX	BA0801	MSP-100-BA0801	MSP-200-BA0801
⑥	Mini sponge cake 32 pieces	MSP-100-DX	MSP-200-DX	BC3201	MSP-100-BC3201	MSP-200-BC3201
⑦	Mini sponge cake round type 40 pieces	MSP-100-DX	MSP-200-DX	BR4001	MSP-100-BR4001	MSP-200-BR4001
⑧	Taiyaki	MSP-100-DX	MSP-200-DX	TI0301	MSP-100-TI0301	MSP-200-TI0301
⑨	Tai-maru kun	MSP-100-DX	MSP-200-DX	TR0601	MSP-100-TR0601	MSP-200-TR0601
⑩	Mini taiyaki	MSP-100-DX	MSP-200-DX	MT2101	MSP-100-MT2101	MSP-200-MT2101
⑪	Churros	MSP-100-DX	MSP-200-DX	CH0701	MSP-100-CH0701	MSP-200-CH0701
⑫	Oobannyaki	MSP-100-DX	MSP-200-DX	OY0601	MSP-100-OY0601	MSP-200-OY0601
⑬	Teppanyaki (flat)	MSP-100-DX	MSP-200-DX	PK0101	MSP-100-PK0101	MSP-200-PK0101
⑭	Croissant donut	MSP-100-DX	MSP-200-DX	CA0601	MSP-100-CA0601	MSP-200-CA0601
⑮	Croissant waffle	MSP-100-DX	MSP-200-DX	CW0601	MSP-100-CW0601	MSP-200-CW0601
⑯	Cheese dog	MSP-100-DX	MSP-200-DX	CD0601	MSP-100-CD0601	MSP-200-CD0601

Replaceable Plates for Multi baker PRO

Plates are replaceable so 1 baker can be used in 16 different ways. One of the plates will be included in the set. Additional plates are sold separately.

▲① Belgian Waffle square type 6 pieces

▲② Belgian Waffle rectangle type 6 pieces

▲③ Belgian Waffle round type 2 pieces

▲④ Belgian Waffle round type 6 pieces

▲⑤ Croissant bar

▲⑥ Mini sponge cake 32 pieces

▲⑦ Mini sponge cake round type 40 pieces

▲⑧ Taiyaki

▲⑨ Tai-maru kun

▲⑩ Mini taiyaki

▲⑪ Churros

▲⑫ Oobannyaki

▲⑬ Teppanyaki (flat)

▲⑭ Croissant donut

▲⑮ Croissant waffle

▲⑯ Cheese dog

▲⑰ Dorayaki
Specifications may change at the time of release.

▲⑱ Takoyaki
Specifications may change at the time of release.

Under development.

These can be used to create plates with your own original designs.

Multi Baker Petit

Freshly baked waffles & pancakes are popular. Baking is easy and speedy, perfect for buffets.

- One-touch plate replacement.
- Power supply 110/220V.
- Bake in 1 minute and 30 seconds (Round waffle plate)
- Washable plates.
- Compact design that allows it to be moved anywhere.

▼ Plates are replaceable so 1 baker can be used in 3 different ways.

▲ Waffle round type
Baking size : 130(diameter)X14(thickness)mm

▲ Waffle square type
Baking size : 120X120X14(thickness)mm

▲ Pan cake
Baking size : 130(diameter)X14(thickness)mm




■ MPT-1 Special order.
Power : 110/220V
Electricity Consumption : 730W
Measurements : 200(W)×405(D)×195(H)mm
List Price : ¥185,000

With your creativity, your waffle menu items can be easily expanded.

Adjust size, shape, and even texture according to your needs.

Waffles born in Belgium are now a standard snack item throughout the world. Brussels and Liege styles are well-known, but with Suntec's Waffle Baker, you can bake a wide variety of items including authentic Belgian waffles. Bake easily and speedily. With different toppings, you can create best-seller menu items employing your own creativity.



■ The model and baking size of the waffle.

Type of waffle	Model		Baking size W:D:H Thickness(m/m)	Number that are cooked		Menu No.
	Single Type	Double Type		Single Type	Double Type	
Belgium waffle baker	SBW-100 Square type	SBW-200 Square type	98:150:26	2	4	② ③
	SBW-100 4/4	SBW-200 4/4	87:87:26	4	8	② ③
	SBW-100 3/4	SBW-200 3/4	87:87:26	4	8	② ③
	SBW-100-S01	SBW-200-S01	98:79:26	4	8	② ③
	SBW-100 Round Type	SBW-200 Round Type	Diameter 164φ:26	1	2	①
	SBW-100-R01	SBW-200-R01	Diameter 180φ:32	1	2	①
	SBW-100-4	SBW-200-4	98:98:26*	4	8	③
Croissant waffle	SBW-300	SBW-400	121:121:26	4	8	② ③
	CW-100	CW-200	200:200:26*	※	※	③ ⑪
Waffle baker	CW-300	CW-400	240:240:26	※	※	③ ⑪
	ST-1	ST-2	Diameter 174φ:16	1	2	⑤ ⑦
	SB-10	SB-20	177:177:16	1	2	④ ⑥
Petit waffle baker	SBX-1	SBX-2	72:173:14	2	4	⑥
Waffle baker Bar type	PT-1	PT-2	Diameter 130φ:14	1	2	⑤ ⑦
Waffle heart	BS-1	BS-2	42:184:24	4	8	⑨
Cookie baker	WH-1	WH-2	120:73:10 Oval	4	8	⑩
Flip belgian waffle baker	CWK-100	CWK-200	83.5:83.5:10	4	8	⑧
	FWM-1B		Diameter 178φ:32	1		①

※The cooked number changes with the size of the dough. *Sign has the part which is not baked.

Belgian waffle baker

■SBW-100 Square Type
Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥ 138,000

2.Brussels type

3.Liege type

■ SBW-200 Square Type
Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×195(H)mm
List Price : ¥ 238,000

Belgian waffle baker

■SBW-100 3/4
Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥ 138,000

2.Brussels type

3.Liege type

■ SBW-200 3/4
Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×195(H)mm
List Price : ¥ 238,000

Belgian waffle baker

■SBW-100-S01
Power : 110/220V
Electricity Consumption : 110V/910W 220V/100W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥ 138,000

2.Brussels type

3.Liege type

■ SBW-200-S01
Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×195(H)mm
List Price : ¥ 238,000

Belgian waffle baker

■SBW-100 Round type
Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥ 138,000

1. Crispy type

■ SBW-200 Round type
Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×195(H)mm
List Price : ¥ 238,000

Belgian waffle baker

■SBW-100-R01
Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥ 145,000

1. Crispy type

■ SBW-200-R01
Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×195(H)mm
List Price : ¥ 245,000

Belgian waffle baker

■ SBW-100-4

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥138,000



3.Liege type

■ SBW-200-4

Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×180(H)mm
List Price : ¥238,000



Belgian waffle baker

■ SBW-300

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 330(W)×505(D)×215(H)mm
List Price : ¥258,000



2.Brussels type



3.Liege type

■ SBW-400


Power : 220V Only
Electricity Consumption : 3640W
Measurements : 640(W)×505(D)×215(H)mm
List Price : ¥435,000



Croissant waffle baker

■ CW-100

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥155,000



3.Liege type



11.Croissant waffle

■ CW-200


Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×180(H)mm
List Price : ¥278,000



Croissant waffle baker

■ CW-300

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 330(W)×505(D)×215(H)mm
List Price : ¥258,000



3.Liege type



11.Croissant waffle

■ CW-400

Power : 220V Only
Electricity Consumption : 3640W
Measurements : 640(W)×505(D)×215(H)mm
List Price : ¥435,000




Waffle baker

■ ST-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥138,000



5. Take Out type



7. Soft type

■ ST-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥238,000



Waffle baker

■ SB-10

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥138,000



4. Cake type



6. Stick Bar type

■ SB-20

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥238,000



Waffle baker

■ SBX-1

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥148,000



6. Stick Bar type

■ SBX-2

Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥265,000



Waffle heart

■ WH-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×170(H)mm
List Price : ¥148,000



10.Waffle heart

■ WH-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×170(H)mm
List Price : ¥265,000




Petit waffle baker

■ SPT-1

Power : 110/220V
Electricity Consumption : 600W
Measurements : 185(W)×385(D)×165(H)mm
List Price : ¥120,000



5. Take Out type



7. Soft type

■ SPT-2

Power : 110/220V
Electricity Consumption : 1200W
Measurements : 370(W)×385(D)×175(H)mm
List Price : ¥185,000



Cookie baker

■ CWK-100

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥145,000 Special order.



8. Cookie type

■ CWK-200

Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥265,000



Waffle baker

■ ST-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥138,000



5. Take Out type



7. Soft type

■ ST-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥238,000



Waffle baker

■ SB-10

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥138,000



4. Cake type



6. Stick Bar type

■ SB-20

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥238,000



Waffle bar type

■ BS-1

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥148,000



9.Bar type

■ BS-2

Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×180(H)mm
List Price : ¥265,000



Special order.



Flip Belgian Waffle Baker



1. Crispy type

- Plate can be installed and removed
- The flip waffle maker 180° swivel mechanism.

■ FWM-1B

Power : 100V Only
Electricity Consumption : 1350W
Measurements : 294(W)×343(D)×295(H)mm
List Price : Open price



Waffle dispenser

■ DP-6

Measurements : 230(W)×360(D)×410(H)mm
Capacity:6L
List Price : ¥75,000

Dough dispenser for self-serve waffles at hotels and buffets. We have developed this product to solve sanitary problems such as difficulty in using a ladle to pour dough or spilling dough during pouring, making it easier for people to enjoy self-serve waffles. We offer the satisfaction of making your own waffles with ease and simplicity, and the fun of using toppings.

※Also suitable for high-viscosity sauces such as salsa.



Magnet holder for attaching the menu board.



Croissant bar


This is the popular bar type called Croissant bar, Danish dough is twisted and baked.

Baking size:
30X180(Long)mm



■ BA-200

Power : 110/220V
Electricity Consumption : 110V/1820W
220V/2180W
Measurements : 510(W)X445(D)
X200(H)mm
List Price : ¥278,000




■ BA-100

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)X445(D)
X180(H)mm
List Price : ¥155,000



■ BA-400

Power : 220V Only
Electricity Consumption : 3640W
Measurements : 640(W)X505(D)X215(H)mm
List Price : ¥435,000



■ BA-300

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 330(W)X505(D)
X215(H)mm
List Price : ¥258,000



Croissant donut

Now, croissant donuts using twisted Danish dough is drawing everybody's attention.




Baking size:
84X28(Thickness)mm



■ CA-200

Power : 110/220V
Electricity Consumption : 110V/1820W
220V/2180W
Measurements : 510(W)X445(D)
X200(H)mm
List Price : ¥278,000




■ CA-100

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)X445(D)
X180(H)mm
List Price : ¥155,000



■ CA-400

Power : 220V Only
Electricity Consumption : 3640W
Measurements : 640(W)X505(D)X215(H)mm
List Price : ¥435,000



■ CA-300

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 330(W)X505(D)
X215(H)mm
List Price : ¥258,000



Baked donut baker

A baker especially designed for popular baked donuts making oil-free baking possible. Bake for 4 to 5 minutes with just a simple operation.




Baking size:
84X30(Thickness)mm



■ CA-8

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)X445(D)
X180(H)mm
List Price : ¥278,000



■ CA-4

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)X445(D)
X180(H)mm
List Price : ¥155,000



Petit baked donut baker

Petit size version of the popular baked donuts. With different packaging, the donuts can be arranged for take-out and gift sets and, of course, it will be perfect for the dessert menu of your shop/restaurant.




Baking size:
50X24(Thickness)mm



■ PCA-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)X445(D)
X175(H)mm
List Price : ¥278,000




■ PCA-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)X445(D)
X175(H)mm
List Price : ¥155,000



Heart donut

No-fry baked donuts are now available in a heart shape. With your ideas, they will quickly turn into hugely popular snack.




Baking size:
88X88X30(Thickness)mm



■ HCA-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)X445(D)
X185(H)mm
List Price : ¥278,000



■ HCA-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)X445(D)
X185(H)mm
List Price : ¥155,000



Baked french cruller

Introducing the new French cruller, the baked donuts that don't require deep-frying. With cooking time of only 4 to 5 minutes, it will contribute the creation of a menu rich in variety.




Baking size:
84X30(Thickness)mm



■ FCA-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)X445(D)
X185(H)mm
List Price : ¥278,000



■ FCA-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)X445(D)
X185(H)mm
List Price : ¥155,000



Mini bar (Mini croissant bar)

Mini size version of the popular croissant bar. Bite size, affordable feeling has increased further. By changing the dough, you can increase the menu variation.




30X90(Long)mm



■ MBA-200

Power : 110/220V
Electricity Consumption : 110V/1820W
220V/2180W
Measurements : 510(W)X445(D)
X185(H)mm
List Price : ¥278,000



■ MBA-100

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)X445(D)
X185(H)mm
List Price : ¥155,000



Ice sandwich

The popular ice cream sandwich is made with brioche bun with ice cream in between and quickly toasted. (Ice cream sandwich)



■ SVO-1

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)X445(D)X190(H)mm
List Price : ¥155,000



■ SVO-2

Power : 110/220V
Electricity Consumption : 110V/1820W
220V/2180W
Measurements : 510(W)X445(D)
X190(H)mm
List Price : ¥278,000



Vanilla heart

Cute and fun! Heart-shaped sweets & snack baker. Freely arrange types and textures of the dough and enjoy the fresh aroma and taste. Suitable for take-out as the donuts keep their rich aroma and taste even when cold.




Baking sizes:
88X83X19(Thickness)mm



■ VH-20

Power : 110/220V
Electricity Consumption : 110V/1820W
220V/2180W
Measurements : 510(W)X445(D)
X175(H)mm
List Price : ¥278,000



■ VH-10

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)X445(D)X175(H)mm
List Price : ¥155,000



Mini heart

The new stylish, petit-sized, heart-shaped sweets will be appealing just by their appearance. The freshly baked aroma and adorable shape will increase customers.




Baking size:
45X45X25(Thickness)mm



■ MH-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)X445(D)
X185(H)mm
List Price : ¥278,000



■ MH-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)X445(D)
X185(H)mm
List Price : ¥155,000



Café ball

New sweets in the form of a coffee bean with the taste and aroma just like coffee itself. Crispy outside, moist inside, bite-sized, and it maintains its delicious taste and aroma even when cold. As it can be prepared in advance, ideal for take-outs. Its frozen dough is made with collagen, a popular ingredient with women.

■ SCB-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×175(H)mm
List Price : ¥155,000



Baking size:
50X35(Thickness)X21(Maximum)mm



Café ball frozen dough 1.4kgX10bags / 1case
Packing size : 370X250X200mm
1case



Café Ball Advertisement
Flag and Poster
Flag size : 450X1800mm
Poster size : 450X590mm
(10sets / 1set)



■ SCB-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×175(H)mm
List Price : ¥278,000



Cheese dogger

With its taste and convenience, the new menu item increasingly popular with you people is "Cheese Dog". The operation is easy and at one time 3 to 6 "Cheese Dogs" will be ready in approximately 3 minutes.

■ CD-3

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)×445(D)×180(H)mm
List Price : ¥155,000



■ CD-6

Power : 110/220V
Electricity Consumption : 110V/1820W
220V/2180W
Measurements : 510(W)×445(D)×180(H)mm
List Price : ¥278,000



Baking size:
44X150(Long)mm

Ice cone

Crispy hand-made ice cream cones can be easily prepared, making it possible to arrange various dessert and ice cream menu items.

■ SIK-1L

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)×485(D)×160(H)mm
List Price : ¥168,000



Baking size:
210(Maximum)mm



Mold Stick for Ice Cone

Crepe machine

Delicious popular crepes are made quickly. Crepe Chef is what you want to install.

■ SC-100

Power : 110V
Electricity Consumption : 1820W
Measurements : 490(W)×490(D)×195(H)mm
List Price : ¥198,000

■ SC-200

Power : 220V single-phase only
Electricity Consumption : 3250W
Measurements : 490(W)×490(D)×190(H)mm
List Price : ¥198,000



Baking size: 410(Maximum)mm

Spreader and spatula included.

Crepe press

Place the dough on the plate and press while baking. A thin and clean crepe can be easily baked by anyone. It is also ideal for making mini crepes, which are a popular item now.

■ SCP-1

Power : 110/220V
Electricity Consumption : 110V/910W
220V/1090W
Measurements : 255(W)×485(D)×160(H)mm
List Price : ¥168,000



Baking size:
210(Maximum)mm

Pan cake baker / Mini pan cake baker / Petit pan cake baker

Popular pancake baker that comes in <Standard>, <Mini> and <Petit> size versions. As both sides are cooked simultaneously, can be served in a short period of time. Can be used to prepare dessert, breakfast, or light snack pancake menu items even for fast food take-outs.

All photos are double type.

■ POK-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥138,000

■ POK-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥238,000



■ MPK-10

Power : 110/220V
Electricity Consumption : 600W
Measurements : 185(W)×385(D)×165(H)mm
List Price : ¥120,000

■ MPK-20

Power : 110/220V
Electricity Consumption : 1200W
Measurements : 370(W)×385(D)×175(H)mm
List Price : ¥185,000




■ PK-1

Power : 110/220V
Electricity Consumption : 110V/910W 220V/1090W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥145,000

■ PK-2

Power : 110/220V
Electricity Consumption : 110V/1820W 220V/2180W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥265,000



Baking size:
174X16(Thickness)mm



Baking size:
130X14(Thickness)mm



Baking size:
50X15(Maximum thickness)mm

POK-1 (single) and POK-2 (double) can be used as a mini okonomiyaki machine, and MPK-10 (single) and MPK-20 (double) can be used as a mini okonomiyaki machine.

Hot sandwich maker

Easily and quickly make the popular hot sandwiches and space saving compact design.

■ SHS-1

Power : 110/220V
Electricity Consumption : 600W
Measurements : 185(W)×385(D)×165(H)mm
List Price : ¥120,000



■ SHS-2

Power : 110/220V
Electricity Consumption : 1200W
Measurements : 370(W)×385(D)×185(H)mm
List Price : ¥185,000



Big hot sandwich maker

The popular hot sandwiches are now with bigger in size. Can even cook the crust. Makes a big hot sandwich and does not require the crust to be cut off the crust, so you can enjoy every bit of the bread.

■ BHS-1

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×175(H)mm
List Price : ¥148,000



■ BHS-2

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×175(H)mm
List Price : ¥255,000



Panini cooker

Grills 3 pieces of Panini bread in a single plate at once. Also, hot sandwiches can be prepared in 1 minutes and 30 seconds to 3 minutes.

■ PC-10

Power : 110/220V
Electricity Consumption : 910W
Measurements : 255(W)×445(D)×165(H)mm
List Price : ¥168,000



■ PC-20

Power : 110/220V
Electricity Consumption : 1820W
Measurements : 510(W)×445(D)×165(H)mm
List Price : ¥268,000



Press grill maker / Press sandwich maker

It quickly grills hot sandwiches using all kinds of breads.

■ SG-1

Power : 110V Only
Electricity Consumption : 1500W
Measurements : 355(W)×470(D)×330(H)mm
List Price : ¥168,000



■ SP-1

Power : 100V Only
Electricity Consumption : 1500W
Measurements : 355(W)×470(D)×330(H)mm
List Price : ¥168,000



Other equipment

Convection oven

The fist 100V specification, table-top and ultra-compact type for professional use. Fresh and delicious bread can be provided in any store/restaurant. Simple operation. With speedy launching, it will evenly bake authentic bread.



■COS-200

Power: 100V
Electricity Consumption: 1350W
Measurements: 480(W)×535(D)×420(H)mm
Internal dimensions: 350(W)×250(D)×210(H)mm
Three-stage tray size: 320×240mm
List Price: ¥325,000

Pizza presser

Anyone can easily make authentic crispy pizza dough. While heating, it will shape the pizza and bake it in 20 seconds using the principle of leverage.



Forms pizza dough instantly while applying heat.

Conveyor toaster

100V specification

TM3-5H with 100V power supply specification is a compact type. It can be easily moved and can be installed anywhere. A large amount of toast can be toasted evenly and deliciously. Anyone can easily use it for themselves, making it perfect for hotels, buffets, etc. The 4 models with 200V power supply specifications are high-power types, so you can bake large quantities of toast, buns, etc. evenly and deliciously in a short time. The compact size allows for efficient use of space, making it suitable for installation in the kitchen.

Single phase 200V specification

[Single-phase 200V plug shape]
Home grounding (2-pole installation type) 20A, model: WF5324 (Panasonic), Me7018 (Meikosha), etc.
*The plug shape can be changed to the specified plug by special order.



■TM3-5H

Power: 100V
Electricity Consumption: 1410W
Measurements: 300(W)×470(D)×420(H)mm
Opening for bread size: 175(W)×85(H)mm
List Price: ¥345,000
Equipped with warm-up system.



■TM-10H

Power: 200V
Electricity Consumption: 2130W
Measurements: 368(W)×419(D)×387(H)mm
Opening for bread size: 264(W)×88(H)mm
List Price: ¥350,000
As bread can be taken out from the rear side of the product.



■TM3-10H

Power: 200V
Electricity Consumption: 2110W
Measurements: 368(W)×464(D)×411(H)mm
Opening for bread size: 264(W)×76(H)mm
List Price: ¥398,000
Equipped with warm-up system.



■TQ-400H

Power: 200V
Electricity Consumption: 2064W
Measurements: 370(W)×555(D)×435(H)mm
Opening for bread size: 244(W)×70(H)mm
List Price: ¥528,000




■TQ-800H

Power: 200V
Electricity Consumption: 3080W
Measurements: 370(W)×680(D)×435(H)mm
Opening for bread size: 244(W)×70(H)mm
List Price: ¥601,000

Each element top and bottom is controllable.

Mini sponge cake baker

Mini round sponge cakes are popular for their fluffy and light texture. The sweet aroma during baking will be appealing. The compact design that will fit anywhere, will bake 50 pieces in 3-4 minutes with simple operation.



■CTK-100-50

Power: 110V
Electricity Consumption: 1500W X 2 line
Measurements: 550(W)×410(D)×280(H)mm
List Price: Open price

■CTK-200-50

Power: 220V single-phase
Electricity Consumption: 3000W
Measurements: 550(W)×410(D)×280(H)mm
List Price: Open price

Multi baker PRO
There is plate replacement type.



Refer to 11 and 12 page.

Fermenter

In case the dough requires fermentation, the fermenter (final proof) allows for the precise management of temperature and time for even greater convenience.



■Fermenter

Power: 100V
Electricity Consumption: 750W
Measurements: 460(W)×600(D)×800(H)mm
Temperature adjust: 30°C ~ 90°C
List Price: Open price

A separate baking tray will be required.



Popcorn

The operation is so simple. Lightweight and easy to move. Comes with a heater to keep the popcorn warm, so that it can be served as though it had just been popped.



■APM-6 II

Power: 100V
Electricity Consumption: 1200W
Measurements: 470(W)×420(D)×770(H)mm
Productivity: 180g / 2min.
List Price: ¥300,000



■APM-12

Power: 100V
Electricity Consumption: 1200W
Measurements: 540(W)×540(D)×790(H)mm
Productivity: 300g / 2min.
List Price: ¥400,000



■APM-20

Power: 200V Single-phase only
Electricity Consumption: 2000W
Measurements: 700(W)×700(D)×950(H)mm
Productivity: 500g / 2min.
List Price: Open price



■PA-36

Power: 100V
Electricity Consumption: 1010W
Measurements: 480(W)×380(D)×510(H)mm
Productivity: 350g / 3min.
List Price: ¥140,000



■AP-6K-B (Cart only. / A popcorn machine is sold separately.)
Measurements: 890(W)×600(D)×810(H)mm
List Price: Open price
■AP-12K-A (Cart only. / A popcorn machine is sold separately.)
Measurements: 980(W)×750(D)×810(H)mm
List Price: Open price

Popcorn ingredients

- Popcorn beans / 22.7kg
- Popcorn beans / 2kg
- Popcorn oil / 250g
- Seasoning / 1kg
- Caramel sugar / 1kg
- Triangle cup / 100 cups
- Hexagon cup / 1000 cups

Popcorn ingredients set (for 300 sets)

- Popcorn beans / 6kg
- Popcorn oil / 1.5kg
- Seasoning / 300g
- Triangle cup / 300 cups

(Available for 500 sets and 1000 sets)



Cotton candy

Easy operation. Best for sales promotion.



■CA-120

Power: 100V
Electricity Consumption: 1200W
Measurements: 640(W)×640(D)×800(H)mm
Capacity: 3~5 pieces every 1 min.
List Price: ¥220,000



■TK-5

Power: A00V
Electricity Consumption: 700W
Measurements: 500(W)×500(D)×600(H)mm
Capacity: 1~1.5 pieces every 1 minutes
Suggested list Price: ¥100,000



■CA-6 Vending machine (for 100 yen coins)

Power: 100V
Electricity Consumption: 700W
Measurements: 700(W)×510(D)×1400(H)mm
Capacity: 1 piece every 1 minutes
List Price: ¥360,000



■CA-7

Power: 100V
Electricity Consumption: 700W
Measurements: 500(W)×500(D)×650(H)mm
Capacity: 1 piece every 1 minutes
List Price: ¥110,000



■CA-7 (Bubble cover)

Power: 100V
Electricity Consumption: 700W
Measurements: 525(W)×500(D)×770(H)mm
Capacity: 1 piece every 1 minutes
Suggested list Price: ¥120,000

Cotton Candy ingredients

- Granulated Sugar (red) / 1kg
- Granulated Sugar (White) / 1kg
- Disposable wooden chopstick / 100 pieces
- Character bags / 100 sheets

Cotton Candy ingredients set (for 300 sets)

- Granulated Sugar (red) / 2kg
- Granulated Sugar (White) / 2kg
- Disposable wooden chopstick / 300 pieces
- Character bags / 300 sheets



Original logo plate


Would you like to create an original logo menu item.

You can produce original plates that can make your own logo and menu items with characters in popular petit waffle and pancakes.

Bake up with logo menu item.



Space where you can put your original logo or character.



Petit waffle round type
These part are original plates.




In addition, you can also make the original plate for Pancake Baker and Big Hor Sandwich Maker.

Power: 110/220V
Electricity Consumption: 1200W
Measurements: 370(W)×385(D)×175(H)mm


Auxiliary materials

A wealth of accessories only Suntec with its full knowledge of menus can provide.



1,000×10/1case
170×100+50mm

Petit waffle wrap(Bag)



1,000×10/1case
205×120+50mm

Waffle wrap(Bag)



1kg×6/1case

Sunclean(Release oil)



500ml


Sun-spray(Release oil)



Tie-brush



Mold stick for ice cone




Crepe spreader



Timer installation stand
(Effective area :
60X43mm)

Timer
installation
part

Timer installation stand for MPT
(Effective area 60X58mm)



【Timer installation stand】

Special ingredients



Soft waffle mix powder / 10kg



Belgium mix powder
1kg×10/1case



Baked donut mix powder /
10kg




Ice cream cone mix powder /
1kg×10bags



Miracle sugar 5kg / 1case
For waffle liege type



Belgium waffle frozen dough
45g×100pieces / 1case



Croissant waffle frozen dough
150g×40pieces / 1case



Chelky frozen dough
200 pieces / 1case



Café ball frozen paste
1.4kg×10bags / 1case



Chelky pure sweet
2kg×3bags / 1case
Coating sugar for chelky

Tool for sales promotion



SP-A (Foming agent)
1kg×10bags / 1case
For soft waffle



Café Ball Advertisement
Flag and POP(Poster)



Belgium Waffle Advertisement
Flag and POP(Poster)



Croissant POP(Poster)
Donut type and bar type

**Contributing to the creation of a menu
you can count on.**

SUNTEC CO.,LTD.

2-8-12 Mukojima, Sumida-ku, Tokyo
131-0033 Japan

Telephone No.81-3-6746-9797

Facsimile No.81-3-6746-9669

http://www.suntec-jp.co.jp

E-mail info@suntec-jp.co.jp

※ The consumption tax is not included in the prices.

※ For quality improvement, the specification might be changed
without notice.

● Sales Agent